# NSN 5945-01-503-9103

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-503-9103

#### **Overall Length:**

4.280 inches

#### Center To Center Distance Between Mounting Facilities Parallel To Width:

2.875 inches single mounting facility

#### **Overall Diameter:**

3.650 inches

#### **Environmental Protection:**

Hermetic

#### **Unthreaded Mounting Hole Diameter:**

0.213 inches single mounting facility and 0.228 inches single mounting facility

## Winding Quantity:

1

Coil Quantity:

1

#### Winding Dc Resistance Rating:

113.0 ohms single winding

Duty Type:

Continuous

#### Mounting Facility Type And Quantity:

4 unthreaded hole single mounting facility

#### Features Provided:

Polarized

## Mounting Facility Pattern:

Rectangular single mounting facility

## Nonpile-up Main Contact Arrangement:

3 pole, double throw, one position momentary

#### Time Delay:

0.06 seconds fixed operate time

## Operating Voltage Rating And Type At Specificationified Temp:

28.0 volts dc 25 degrees celsius single winding

## Main Contact Load Current Rating At Maximum Rated Voltage:

50.0 amperes dc resistive load

## Main Contact Maximum Voltage Rating In Volts:

29.0 dc

#### **Special Features:**

Operating temperature minus 55.0 to plus 85.0 degrees c

#### **Terminal Type And Quantity:**

2 threaded stud energizing element

#### Shelf Life:

N/a

#### Unit Of Measure:

---

# NSN 5945-01-503-9103

Electromagnetic Relay - Page 2 of 2

Demilitarization:

No

Fiig:

A03300

