

View Online at <https://aerobasegroup.com/nsn/5945-01-524-2084>

**Overall Length:**

3.130 inches

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

2.000 inches single mounting facility

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

2.000 inches single mounting facility

**Overall Diameter:**

2.500 inches

**Environmental Protection:**

Hermetic

**Unthreaded Mounting Hole Diameter:**

0.168 inches single mounting facility and 0.175 inches single mounting facility

**End Application:**

Alofts sonar system, model 980 (v1)

**Winding Quantity:**

1

**Coil Quantity:**

1

**Winding Dc Resistance Rating:**

180.0 ohms single winding and 220.0 ohms single winding

**Duty Type:**

Continuous

**Mounting Facility Type And Quantity:**

4 unthreaded hole single mounting facility

**Pile-up Main Contact Form Arrangement:**

3c

**Mounting Facility Pattern:**

Rectangular single mounting facility

**Operating Voltage Rating And Type At Specificationified Temp:**

28.0 volts dc 25 degrees celsius single winding

**Main Contact Load Current Rating At Maximum Rated Voltage:**

20.0 amperes dc motor load

**Main Contact Maximum Voltage Rating In Volts:**

29.0 dc

**Product Name:**

Contactore 60 amp

**Terminal Type And Quantity:**

13 threaded stud energizing element and contacts

**Specification Data:**

81349-mil-prf-6106 government specification

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A03300

**Mil-std (military Standard):**

Mil-prf-6106 spec.