

View Online at <https://aerobasegroup.com/nsn/5950-00-001-3215>

**Reliability Indicator:**

Not established

**Turn Quantity:**

9-1/4 single component single winding

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

0.195 inches single mounting facility single center group and 0.205 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

0.195 inches single mounting facility single center group and 0.205 inches single mounting facility single center group

**Inductance Rating:**

0.738 microhenries single component single winding and 0.904 microhenries single component single winding

**Coil Form Type:**

Hollow single component

**Core Construction:**

Powdered single component

**Adjustment Device Drive Type:**

Slotted screw single component

**Body Length:**

0.375 inches

**Body Width:**

0.375 inches

**Body Height:**

0.340 inches

**Maximum Operating Temp:**

105.0 degrees celsius

**Inclosure Type:**

Open

**Mounting Method:**

Terminal single group

**Rating Method:**

Electrical single component single winding and winding turns single component single winding

**Winding Conductor Size:**

0.00562 inches american wire gage single component single winding

**Winding Operating Current:**

126.0 milliamperes dc single component single winding

**Dc Resistance Rating In Ohms:**

0.220 single component single winding

**Quality Factor:**

58 single component single winding and 63 single component single winding

**Adjustment Method And Quantity:**

1 adjustable core single component

**Terminal Type And Quantity:**

2 pin

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fiig:**

A058b0