

View Online at <https://aerobasegroup.com/nsn/5950-00-001-3215>

Reliability Indicator:

Not established

Turn Quantity:

9-1/4 single component single winding

Center To Center Distance Between Mounting Facilities Parallel To Length:

0.195 inches single mounting facility single center group and 0.205 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

0.195 inches single mounting facility single center group and 0.205 inches single mounting facility single center group

Inductance Rating:

0.738 microhenries single component single winding and 0.904 microhenries single component single winding

Coil Form Type:

Hollow single component

Core Construction:

Powdered single component

Adjustment Device Drive Type:

Slotted screw single component

Body Length:

0.375 inches

Body Width:

0.375 inches

Body Height:

0.340 inches

Maximum Operating Temp:

105.0 degrees celsius

Inclosure Type:

Open

Mounting Method:

Terminal single group

Rating Method:

Electrical single component single winding and winding turns single component single winding

Winding Conductor Size:

0.00562 inches american wire gage single component single winding

Winding Operating Current:

126.0 milliamperes dc single component single winding

Dc Resistance Rating In Ohms:

0.220 single component single winding

Quality Factor:

58 single component single winding and 63 single component single winding

Adjustment Method And Quantity:

1 adjustable core single component

Terminal Type And Quantity:

2 pin

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A058b0