

View Online at <https://aerobasegroup.com/nsn/5950-00-004-0220>

**Reliability Indicator:**

Not established

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

3.750 inches single mounting facili type 2nd center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

3.000 inches single mounting facili type 2nd center group

**Frequency Rating:**

400.0 hertz single component

**Input-output Phase Relationship:**

Three phase to three phase single component

**Transformer Winding Connection Type:**

Delta-delta and delta-wye

**Winding Shielding Method:**

Internal shield grounded to core single component

**Body Length:**

4.600 inches

**Body Width:**

3.880 inches

**Body Height:**

3.150 inches

**Maximum Operating Temp:**

155.0 degrees celsius

**Inclosure Type:**

Fully enclosed

**Mounting Facility Quantity:**

4 2nd group

**Mounting Method:**

Threaded hole all groupings

**Winding Function And Quantity:**

1 primary single component and 5 secondary single component

**Thread Size:**

0.164 inches all groupings

**Winding Operating Current:**

200.0 milliamperes ac single component single primary

**Winding Operating Voltage:**

22.60 ac volts single component 2nd secondary

**Special Features:**

One primary winding; five secondary windings

**Thread Series Designator:**

Unc all groupings

**Terminal Type And Quantity:**

18 tab, solder lug

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A058b0