

View Online at <https://aerobasegroup.com/nsn/5950-00-004-6168>

Reliability Indicator:

Not established

Frequency Rating:

25.0 kilohertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Body Length:

1.130 inches

Body Outside Diameter:

2.400 inches

Maximum Operating Temp:

130.0 degrees celsius

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

1 single group

Mounting Method:

Threaded hole single group

Winding Function And Quantity:

1 primary single component and 12 secondary single component

Thread Size:

0.112 inches single group

Winding Operating Current:

100.0 milliamperes ac single component 4th secondary

Winding Power Rating:

6.9 volts-amperes single component 4th secondary

Winding Operating Voltage:

69.20 ac volts single component 4th secondary

Special Features:

One primary winding; twelve secondary windings

Test Data Document:

82577-984656 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

39 wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0