

View Online at <https://aerobasegroup.com/nsn/5950-00-006-5734>

**Reliability Indicator:**

Not established

**Inductance Rating:**

30.00 microhenries single component single winding

**Coil Form Type:**

Solid single component

**Core Construction:**

Powdered single component

**Body Length:**

Between 0.365 inches and 0.385 inches

**Body Outside Diameter:**

Between 0.146 inches and 0.166 inches

**Maximum Operating Temp:**

105.0 degrees celsius

**End Application:**

Emory s. Land class as; sirius class t-afs 8; spruance class dd (963); calibration standards equipment; support equipment. B-52 aircraft; oliver perry class ffg; whidbey island class lsd; general purpose electronic test equipment gpete; austin ship class lpd-4 amphibious transport docks; forrestal class cv

**Inclosure Type:**

Fully enclosed

**Mounting Method:**

Terminal single group

**Rating Method:**

Electrical single component single winding

**Features Provided:**

Tinned wire leads

**Winding Operating Current:**

167.0 milliamperes dc single component single winding

**Dc Resistance Rating In Ohms:**

2.800 single component single winding

**Quality Factor:**

70 single component single winding

**Criticality Code Justification:**

Feat

**Special Features:**

Weapon system essential

**Terminal Type And Quantity:**

2 wire lead

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A058b0