## NSN 5950-00-007-6007

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-007-6007

## **Reliability Indicator:**

Not established

#### Center To Center Distance Between Mounting Facilities Parallel To Length:

1.300 inches single mounting facility single center group

#### **Center To Center Distance Between Mounting Facilities Parallel To Width:**

1.300 inches single mounting facility single center group

## **Overall Height:**

1.100 inches

#### Frequency Rating:

20.0 kilohertz single component

#### Input-output Phase Relationship:

Single phase to single phase single component

#### **Body Length:**

1.600 inches

#### **Body Width:**

1.600 inches

#### **Maximum Operating Temp:**

110.0 degrees celsius

## **Inclosure Type:**

Fully enclosed

## **Mounting Facility Quantity:**

4 single group

#### **Mounting Method:**

Threaded hole single group

## **Winding Function And Quantity:**

2 primary single component and 6 secondary single component

## Thready Qty Per Inch (tpi):

40 single group

## Thread Size:

0.112 inches single group

## **Winding Operating Current:**

3.9 amperes dc single component 2nd secondary

## **Winding Operating Voltage:**

9.47 ac volts single component 4th secondary

#### **Special Features:**

2 primary windings; 6secondary windings

## **Thread Series Designator:**

Unc single group

## **Terminal Type And Quantity:**

16 turret

#### Shelf Life:

N/a

# **NSN 5950-00-007-6007**Power Transformer - Page 2 of 2



			ure:	

Demilitarization:

No

Fiig:

A058b0