

View Online at <https://aerobasegroup.com/nsn/5950-00-007-9641>

**Reliability Indicator:**

Not established

**Overall Length:**

Between 0.240 inches and 0.350 inches

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

4.200 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

2.400 inches single mounting facility single center group

**Overall Height:**

Between 0.140 inches and 0.285 inches

**Overall Width:**

Between 0.035 inches and 0.080 inches

**Mounting Hole Diameter:**

0.281 inches single group

**Frequency Rating:**

400.0 hertz single component

**Input-output Phase Relationship:**

Three phase to three phase single component

**Winding Shielding Method:**

Internal shield grounded to inclosure and core single component

**Inclosure Type:**

Fully enclosed

**Mounting Facility Quantity:**

6 single group

**Mounting Method:**

Flange single group and unthreaded hole single group

**Winding Function And Quantity:**

1 primary single component and 2 secondary single component

**Winding Operating Current:**

7.16 amperes ac single component 1st secondary

**Winding Power Rating:**

1.9 kilovolt-amperes single component all secondary

**Winding Operating Voltage:**

41.70 ac volts single component 1st secondary

**Terminal Type And Quantity:**

15 tab, solder lug

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A058b0