

View Online at <https://aerobasegroup.com/nsn/5950-00-011-6982>

**Reliability Indicator:**

Not established

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

4.469 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

3.500 inches single mounting facility single center group

**Frequency Rating:**

50.0 hertz single component and 60.0 hertz single component

**Input-output Phase Relationship:**

Two phase to three phase single component

**Body Length:**

5.875 inches

**Body Width:**

4.625 inches

**Body Height:**

2.750 inches

**End Application:**

Forrestal class cv

**Inclosure Type:**

Fully enclosed

**Mounting Facility Quantity:**

4 single group

**Mounting Method:**

Threaded stud single group

**Winding Function And Quantity:**

2 primary single component and 3 secondary single component

**Thready Qty Per Inch (tpi):**

32 single group

**Thread Size:**

0.190 inches single group

**Winding Operating Current:**

100.0 milliamperes ac single component 3rd secondary

**Winding Operating Voltage:**

81.00 ac volts single component 2nd primary

**Thread Series Designator:**

Unf single group

**Terminal Type And Quantity:**

10 tab, solder lug

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A058b0