

View Online at <https://aerobasegroup.com/nsn/5950-00-017-9677>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

6.300 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

3.600 inches single mounting facility single center group

Frequency Rating:

60.0 hertz single component

Input-output Phase Relationship:

Three phase to three phase single component

Transformer Winding Connection Type:

Delta-delta

Winding Shielding Method:

Internal shield grounded to inclosure single component

Body Length:

10.250 inches

Body Width:

4.500 inches

Body Height:

6.000 inches

Maximum Operating Temp:

65.0 degrees celsius

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

6 single group

Mounting Method:

Threaded stud single group

Winding Function And Quantity:

1 primary single component and 3 secondary single component

Thready Qty Per Inch (tpi):

18 single group

Thread Size:

0.312 inches single group

Winding Operating Current:

7.0 amperes ac single component 2nd secondary

Winding Power Rating:

2720.0 volts-amperes single component single primary

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

57 threaded stud

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0