Radio Frequency Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-018-5504

Reliability Indica	tor:
Not established	
Turn Quantity:	
16 single compon	ent single secondary
Transformer Fun	ction:
Interstage	
Inductance Ratin	g:
1.90 microhenries	single component single secondary and 7.90 microhenries single component single secondary
Frequency Rating	g:
5.5 megahertz sir	ngle component
Adjustment Devi	ce Drive Type:
Slotted screw sing	le component
Winding Shieldin	g Method:
Internal shield gro	unded to core single component
Body Length:	
1.255 inches	
Body Outside Dia	ameter:
0.375 inches	
Inclosure Type:	
Open	
Mounting Method	d:
Threaded bushing	single group
Rating Method:	
Winding turns sing	gle component single secondary
Winding Function	n And Quantity:
1 primary single c	omponent and 1 secondary single component
Thread Size:	
0.190 inches singl	e group
Winding Conduc	tor Size:
0.22940 inches ar	nerican wire gage single component single secondary
Adjustment Meth	od And Quantity:
1 adjustable core	single component
Thread Series De	esignator:
Unc single group	
Terminal Type A	nd Quantity:
4 tab, solder lug	
Shelf Life:	
N/a	
Unit Of Measure:	
Demilitarization:	
No	

NSN 5950-00-018-5504

Radio Frequency Transformer - Page 2 of 2

Fiig: A058b0

