

View Online at <https://aerobasegroup.com/nsn/5950-00-021-6923>

**Reliability Indicator:**

Not established

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

5.875 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

3.125 inches single mounting facility single center group

**Mounting Slot Width:**

0.297 inches single group

**Frequency Rating:**

60.0 hertz single component

**Input-output Phase Relationship:**

Single phase to single phase single component

**Maximum Transformer Power Rating:**

100.0 volt-ampere single component

**Body Length:**

Between 6.740 inches and 6.760 inches

**Body Width:**

4.000 inches

**Body Height:**

4.000 inches

**Maximum Operating Temp:**

125.0 degrees celsius

**Inclosure Type:**

Fully enclosed

**Mounting Facility Quantity:**

3 single group

**Mounting Method:**

Flange single group and slot single group

**Cooling Method:**

Self-cooled

**Winding Function And Quantity:**

1 primary single component and 1 secondary single component

**Center To Center Distance Between Mounting Facilities Parallel To The Base Of An Isosceles Triangle:**

3.115 inches single mounting facility single center group and 3.135 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To The Altitude Of An Isosceles Triangle:**

5.865 inches single mounting facility single center group and 5.885 inches single mounting facility single center group

**Winding Operating Voltage:**

440.00 ac volts single component single primary

**Terminal Type And Quantity:**

4 wire lead

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A058b0