

View Online at <https://aerobasegroup.com/nsn/5950-00-027-2660>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.230 inches single mounting facility single center group and 2.270 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.230 inches single mounting facility single center group and 2.270 inches single mounting facility single center group

Frequency Rating:

60.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Winding Shielding Method:

Internal shield grounded to core single component

Body Length:

4.000 inches

Body Width:

3.200 inches

Body Height:

4.850 inches

Maximum Operating Temp:

105.0 degrees celsius

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded hole single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Thread Size:

0.164 inches single group

Winding Operating Current:

100.0 milliamperes ac single component single secondary

Winding Power Rating:

90.3 volts-amperes single component single secondary

Winding Operating Voltage:

308.00 ac volts single component single secondary and 403.00 ac volts single component single secondary and 903.00 ac volts single component single secondary

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

8 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0