

View Online at <https://aerobasegroup.com/nsn/5950-00-027-8852>

**Reliability Indicator:**

Not established

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

4.062 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

3.312 inches single mounting facility single center group

**Frequency Rating:**

60.0 hertz single component

**Input-output Phase Relationship:**

Single phase to single phase single component

**Winding Shielding Method:**

Internal shield grounded to inclosure and core single component

**Body Length:**

5.063 inches

**Body Width:**

4.313 inches

**Body Height:**

6.813 inches

**End Application:**

Arsr-1, fa-7168 modulator cabinet; arsr-2, fa-7111 modulator cabinet

**Inclosure Type:**

Hermetically sealed with oil

**Mounting Facility Quantity:**

4 single group

**Mounting Method:**

Threaded stud single group

**Winding Function And Quantity:**

1 primary single component and 1 secondary single component

**Thready Qty Per Inch (tpi):**

20 single group

**Thread Size:**

0.250 inches single group

**Winding Operating Current:**

1.1 amperes ac single component single secondary

**Winding Operating Voltage:**

230.00 ac volts single component single secondary

**Special Features:**

Function, transformer, power, hv; reference data, t-7403, instruction book arsr-1d/e/f, vol 5, sec 10, pg 10-745; t-7403, instruction book arsr-2, vol 5, sec 8, pg 10-550

**Thread Series Designator:**

Unc single group

**Terminal Type And Quantity:**

4 solder stud

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A058b0