

View Online at <https://aerobasegroup.com/nsn/5950-00-030-9009>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

3.980 inches single mounting facility single center group and 4.020 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.730 inches single mounting facility single center group and 2.770 inches single mounting facility single center group

Overall Height:

Between 7.430 inches and 7.940 inches

Frequency Rating:

400.0 hertz single component

Input-output Phase Relationship:

Three phase to three phase single component

Transformer Winding Connection Type:

Delta-wye

Winding Shielding Method:

Core grounded single component and internal shield brought out to terminal single component

Body Length:

Between 4.750 inches and 4.880 inches

Body Width:

Between 3.880 inches and 4.000 inches

Body Height:

Between 6.310 inches and 6.500 inches

Maximum Operating Temp:

130.0 degrees celsius

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded stud single group

Winding Function And Quantity:

1 primary single component and 2 secondary single component

Thread Size:

0.250 inches single group

Winding Operating Current:

370.0 milliamperes ac single component 2nd secondary

Winding Operating Voltage:

520.00 ac volts single component 1st secondary

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

16 standoff, threaded stud

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0