

View Online at <https://aerobasegroup.com/nsn/5950-00-041-6528>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

5.250 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

4.000 inches single mounting facility single center group

Overall Height:

9.500 inches

Overall Width:

5.875 inches

Mounting Hole Diameter:

0.249 inches single group and 0.255 inches single group

Frequency Rating:

380.0 hertz single component and 420.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Winding Shielding Method:

Internal shield brought out to terminal single component and ground brought out to terminal single component

Body Length:

4.810 inches

Inclosure Type:

Hermetically sealed

Mounting Facility Quantity:

4 single group

Mounting Method:

Flange single group and unthreaded hole single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Winding Operating Current:

25.0 amperes dc single component single secondary

Winding Operating Voltage:

21.20 ac volts single component single secondary and 42.40 ac volts single component single secondary

Terminal Type And Quantity:

7 standoff, threaded stud

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0