

View Online at <https://aerobasegroup.com/nsn/5950-00-041-6535>

**Reliability Indicator:**

Not established

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

2.837 inches single mounting facility single center group and 3.062 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

2.500 inches single mounting facility single center group and 2.625 inches single mounting facility single center group

**Overall Height:**

Between 5.437 inches and 5.625 inches

**Frequency Rating:**

400.0 hertz single component

**Input-output Phase Relationship:**

Three phase to three phase single component

**Transformer Winding Connection Type:**

Wye-wye

**Winding Shielding Method:**

Internal shield brought out to terminal single component and ground brought out to terminal single component

**Body Length:**

Between 2.837 inches and 3.062 inches

**Body Width:**

Between 2.500 inches and 2.625 inches

**Body Height:**

Between 4.062 inches and 4.250 inches

**Maximum Operating Temp:**

65.0 degrees celsius

**Inclosure Type:**

Hermetically sealed

**Mounting Facility Quantity:**

4 single group

**Mounting Method:**

Threaded stud single group

**Winding Function And Quantity:**

1 primary single component and 2 secondary single component

**Thread Size:**

0.164 inches single group

**Winding Operating Current:**

2.0 amperes dc single component all secondary

**Winding Operating Voltage:**

23.00 ac volts single component 1st secondary

**Thread Series Designator:**

Unc single group

**Terminal Type And Quantity:**

11 threaded stud

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A058b0