## NSN 5950-00-051-5010

Reactor - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5950-00-051-5010

| Deliability Indicator   |
|---|
| Reliability Indicator:  |
| Not established   |
| Center To Center Distance Between Mounting Facilities Parallel To Length: |
| 1.250 inches single mounting facility single center group                 |
| Center To Center Distance Between Mounting Facilities Parallel To Width:  |
| 0.750 inches single mounting facility single center group                 |
| Mounting Hole Diameter:   |
| 0.102 inches single group   |
| Inductance Type:  |
| Fixed   |
| Inductance Rating:  |
| 10.00 henry single component single winding                               |
| Body Length:  |
| 1.531 inches  |
| Body Width:   |
| 1.125 inches  |
| Body Height:  |
| 1.250 inches  |
| Winding Quantity:   |
| 1 single component  |
| Inclosure Type:   |
| Hermetically sealed   |
| Mounting Facility Quantity:   |
| 4 single group  |
| Mounting Method:  |
| Flange single group and unthreaded hole single group                      |
| Rating Method:  |
| Electrical single component single winding                                |
| Winding Operating Current:  |
| 500.0 microamperes dc single component single winding                     |
| Terminal Type And Quantity:   |
| 2 tab, solder lug   |
| Shelf Life:   |
| N/a   |
| Unit Of Measure:  |
| <u></u>   |
| Demilitarization:   |
| No  |
| Fiig:   |
| A058b0  |