# NSN 5950-00-052-4191

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-052-4191

# **Reliability Indicator:**

Not established

#### Center To Center Distance Between Mounting Facilities Parallel To Length:

1.688 inches single mounting facility single center group

# Center To Center Distance Between Mounting Facilities Parallel To Width:

1.438 inches single mounting facility single center group

#### Frequency Rating:

400.0 hertz single component

#### Input-output Phase Relationship:

Single phase to single phase single component

#### **Winding Shielding Method:**

Internal shield grounded to inclosure and core and brought out to terminal single component

#### **Body Length:**

Between 2.188 inches and 2.312 inches

#### **Body Width:**

Between 1.938 inches and 2.062 inches

#### **Body Height:**

Between 2.938 inches and 3.125 inches

# **Maximum Operating Temp:**

105.0 degrees celsius

# Inclosure Type:

Hermetically sealed

#### **Mounting Facility Quantity:**

4 single group

# **Mounting Method:**

Threaded stud single group

# **Winding Function And Quantity:**

1 primary single component and 1 secondary single component

#### Thready Qty Per Inch (tpi):

32 single group

#### **Thread Size:**

0.138 inches single group

# **Winding Operating Current:**

700.0 milliamperes ac single component single secondary

# **Winding Operating Voltage:**

115.00 ac volts single component single secondary

# **Thread Series Designator:**

Unc single group

# **Terminal Type And Quantity:**

5 solder stud

#### Shelf Life:

N/a

# **NSN 5950-00-052-4191**Power Transformer - Page 2 of 2



	• •				
In	18	<i>(</i> )+	МА	261	ıre:

Demilitarization:

No

Fiig:

A058b0