## NSN 5950-00-055-3119

Reactor - Page 1 of 2



-3119

View Online at https://aerobasegroup.com/nsn/5950-00-055-3119
Reliability Indicator:
Not established
Center To Center Distance Between Mounting Facilities Parallel To Length:
4.875 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
3.750 inches single mounting facility single center group
Inductance Type:
Fixed
Inductance Rating:
4.00 henry single component all winding
Frequency Rating:
60.0 hertz single component
Body Length:
5.938 inches
Body Width:
4.812 inches
Body Height:
5.250 inches
Winding Quantity:
2 single component
Inclosure Type:
Fully enclosed
Mounting Facility Quantity:
4 single group
Mounting Method:
Threaded stud single group
Rating Method:
Electrical single component all winding
Thready Qty Per Inch (tpi):
20 single group
Thread Size:
0.250 inches single group
Winding Operating Current:
540.0 milliamperes dc single component single winding
Dc Resistance Rating In Ohms:
45.000 single component all winding
Thread Series Designator:
Unc single group
Terminal Type And Quantity:
4 pin
Shalf Life:

N/a

## NSN 5950-00-055-3119

Reactor - Page 2 of 2



	• •					
ın	18	<i>(</i> )+	Me	20	III	ω.

--

Demilitarization:

No

Fiig:

A058b0