NSN 5950-00-056-2075

Potential Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-056-2075

Reliability Indicator: Not established **Overall Length:** 11.625 inches Center To Center Distance Between Mounting Facilities Parallel To Length: 6.625 inches single mounting facility single center group Center To Center Distance Between Mounting Facilities Parallel To Width: 5.000 inches single mounting facility single center group **Overall Height:** 6.625 inches **Overall Width:** 7.500 inches Mounting Hole Diameter: 0.438 inches single group **Frequency Rating:** 50.0 hertz single component and 60.0 hertz single component Primary To Secondary Turn Ratio: 2 to 1 single component Winding Shielding Method: External inclosure single component Installation For Which Designed: Indoor nonportable **Inclosure Type:** Fully enclosed **Mounting Facility Quantity:** 4 single group **Mounting Method:** Flange single group and unthreaded hole single group Winding Function And Quantity: 1 primary single component and 1 secondary single component Winding Power Rating: 400.0 volts-amperes single component single secondary Winding Operating Voltage: 240.00 ac pounds per hour wet single component single primary **Terminal Type And Quantity:** 4 standoff, screw Shelf Life: N/a Unit Of Measure: **Demilitarization:** No

NSN 5950-00-056-2075 Potential Transformer - Page 2 of 2

Fiig: A058b0

