## NSN 5950-00-056-2094

Current Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-056-2094

Poliokility Indicatory
Reliability Indicator: Not established
Overall Length:
15.000 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
3.344 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
2.125 inches single mounting facility single center group
Overall Height:
5.625 inches
Overall Width:
6.375 inches
Mounting Slot Width:
0.438 inches single group
Frequency Rating:
25.0 hertz or 60.0 hertz single component
Input-output Phase Relationship:
Single phase to single phase all components
Body Length:
1.656 inches
Installation For Which Designed:
Indoor nonportable
Inclosure Type:
Fully enclosed
Mounting Facility Quantity:
4 single group
Mounting Method:
Flange and unthreaded hole single group
Winding Function And Quantity:
1 primary and 1 secondary single component
Winding Operating Current:
300.0 amperes ac single component single primary
Winding Operating Voltage:
5.00 ac kilovolts single component single primary
Terminal Type And Quantity:
2 wire lead and 2 bus (bar) conductor
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

## **NSN 5950-00-056-2094** Current Transformer - Page 2 of 2

Fiig: A058b0

