

View Online at <https://aerobasegroup.com/nsn/5950-00-057-0763>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

0.750 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.250 inches single mounting facility single center group

Mounting Hole Diameter:

0.102 inches single group

Transformer Function:

Line

Impedance Rating In Ohms:

600.0 single component single secondary

Frequency Rating:

70.0 hertz single component and 4.0 kilohertz single component

Maximum Transformer Power Rating:

16.8 milliwatts single component

Winding Shielding Method:

Internal shield grounded to inclosure and core and brought out to terminal single component

Body Length:

1.531 inches

Body Width:

1.125 inches

Body Height:

1.250 inches

Inclosure Type:

Hermetically sealed

Mounting Facility Quantity:

4 single group

Mounting Method:

Flange single group and unthreaded hole single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Winding Operating Current:

500.0 microamperes dc single component single primary

Terminal Type And Quantity:

5 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A058b0