NSN 5950-00-057-5962

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-057-5962

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

3.984 inches single mounting facility single center group and 4.016 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.046 inches single mounting facility single center group and 2.078 inches single mounting facility single center group

Overall Height:

Between 4.282 inches and 4.406 inches

Inductance Type:

Swinging

Inductance Rating:

820.00 millihenries single component single winding and 80.00 millihenries single component single winding

Frequency Rating:

90.0 hertz single component and 132.0 hertz single component

Body Length:

Between 4.813 inches and 4.937 inches

Body Width:

Between 2.876 inches and 3.000 inches

Body Height:

3.938 inches

Winding Quantity:

1 single component

Inclosure Type:

Hermetically sealed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded stud single group

Rating Method:

Electrical single component single winding

Thread Size:

0.164 inches single group

Winding Operating Current:

200.0 milliamperes dc single component single winding and 2.0 amperes dc single component single winding

Dc Resistance Rating In Ohms:

2.000 single component single winding

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

2 standoff, solder lug

Shelf Life:

N/a

NSN 5950-00-057-5962

Reactor - Page 2 of 2



ı	1	n	iŧ	1	: N/	lea			_	
ı	u	n	IT	OI	١V	ıea	เรเ	JI	е	:

--

Demilitarization:

No

Fiig:

A058b0