# NSN 5950-00-057-5962

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-057-5962

# **Reliability Indicator:**

Not established

#### Center To Center Distance Between Mounting Facilities Parallel To Length:

3.984 inches single mounting facility single center group and 4.016 inches single mounting facility single center group

#### **Center To Center Distance Between Mounting Facilities Parallel To Width:**

2.046 inches single mounting facility single center group and 2.078 inches single mounting facility single center group

#### **Overall Height:**

Between 4.282 inches and 4.406 inches

#### **Inductance Type:**

Swinging

#### **Inductance Rating:**

820.00 millihenries single component single winding and 80.00 millihenries single component single winding

#### Frequency Rating:

90.0 hertz single component and 132.0 hertz single component

#### **Body Length:**

Between 4.813 inches and 4.937 inches

#### **Body Width:**

Between 2.876 inches and 3.000 inches

#### **Body Height:**

3.938 inches

# **Winding Quantity:**

1 single component

#### **Inclosure Type:**

Hermetically sealed

# **Mounting Facility Quantity:**

4 single group

# **Mounting Method:**

Threaded stud single group

#### **Rating Method:**

Electrical single component single winding

#### **Thread Size:**

0.164 inches single group

# **Winding Operating Current:**

200.0 milliamperes dc single component single winding and 2.0 amperes dc single component single winding

# Dc Resistance Rating In Ohms:

2.000 single component single winding

# **Thread Series Designator:**

Unc single group

# **Terminal Type And Quantity:**

2 standoff, solder lug

# Shelf Life:

N/a

# NSN 5950-00-057-5962

Reactor - Page 2 of 2



ı	1	n	iŧ	<b>1</b>	: N/	lea			_	
ı	u	n	IT	OI	١V	ıea	เรเ	JI	е	:

--

Demilitarization:

No

Fiig:

A058b0