# NSN 5950-00-058-0743

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-058-0743

Reliability	Indicator:
-------------	------------

Not established

## Center To Center Distance Between Mounting Facilities Parallel To Length:

2.750 inches single mounting facility single center group

## Center To Center Distance Between Mounting Facilities Parallel To Width:

2.750 inches single mounting facility single center group

**Overall Height:** 

6.094 inches

## Frequency Rating:

60.0 hertz single component

### Input-output Phase Relationship:

Single phase to single phase single component

### **Winding Shielding Method:**

Internal shield grounded to inclosure single component

**Body Length:** 

3.875 inches

**Body Width:** 

3.875 inches

**Body Height:** 

5.250 inches

# Inclosure Type:

Hermetically sealed

# **Mounting Facility Quantity:**

4 single group

# **Mounting Method:**

Threaded stud single group

# **Winding Function And Quantity:**

1 primary single component and 3 secondary single component

## Thready Qty Per Inch (tpi):

20 single group

## **Thread Size:**

0.250 inches single group

## **Winding Operating Current:**

600.0 milliamperes ac single component 2nd secondary

### **Criticality Code Justification:**

Feat

# **Winding Operating Voltage:**

6.30 ac volts single component all secondary

## **Special Features:**

Weapon system essential

### **Thread Series Designator:**

Unc single group

# NSN 5950-00-058-0743

Power Transformer - Page 2 of 2



Terminal Type	And	Quantity:
---------------	-----	-----------

9 standoff, solder lug

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A058b0