

View Online at <https://aerobasegroup.com/nsn/5950-00-060-7179>

Reliability Indicator:

Not established

Overall Length:

8.937 inches

Overall Height:

5.250 inches

Overall Width:

6.000 inches

Mounting Hole Diameter:

0.375 inches single group

Frequency Rating:

60.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Body Length:

8.937 inches

Body Width:

6.000 inches

Body Height:

5.250 inches

End Application:

Lwsd: tarawa class lha; whidbey island lsd; spruance dd (963); wasp lhd; virginia cgn (41); nimitz cvn; wichita aor; supply aoe; forrestal cv; austin ship lpd-4 amphibious transport docks; catapult/arresting gear

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

3 single group

Mounting Method:

Unthreaded hole single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Winding Operating Current:

4.16 amperes ac single component single secondary

Criticality Code Justification:

Feat

Winding Operating Voltage:

12.00 ac volts single component single secondary

Special Features:

Weapon system essential

Terminal Type And Quantity:

4 terminal block w/screws

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A058b0