## NSN 5950-00-061-5548

Power Transformer - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5950-00-061-5548

| Reliability Indicator:  |
|---|
| Not established   |
| Overall Length:   |
| Between 18.150 inches and 18.210 inches   |
| Mounting Hole Diameter:   |
| 0.334 inches single group and 0.344 inches single group   |
| Frequency Rating:   |
| 400.0 hertz single component  |
| Input-output Phase Relationship:  |
| Three phase to three phase single component   |
| Transformer Winding Connection Type:  |
| Wye-wye   |
| Body Width:   |
| 10.000 inches   |
| Body Height:  |
| Between 9.980 inches and 10.020 inches  |
| Maximum Operating Temp:   |
| 130.0 degrees celsius   |
| Inclosure Type:   |
| Hermetically sealed   |
| Mounting Facility Quantity:   |
| 13 single group   |
| Mounting Method:  |
| Flange single group and unthreaded hole single group  |
| Winding Function And Quantity:  |
| 1 primary single component and 1 secondary single component   |
| Winding Operating Voltage:  |
| 416.00 ac volts single component single primary   |
| Test Data Document:   |
| 18876-10178379 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, |
| etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)                   |
| Terminal Type And Quantity:   |
| 8 threaded stud   |
| Shelf Life:   |
| N/a   |
| Unit Of Measure:  |
|   |
| Demilitarization:   |
| No  |
| Fiig:   |
| A058b0  |