## NSN 5950-00-061-7003

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-061-7003	
Reliability Indicator:	
Not established	
Overall Length:	
2.375 inches	
Center To Center Distance Between Mounting Facilities Parallel To Length:	
2.875 inches single mounting facility single center group	
Center To Center Distance Between Mounting Facilities Parallel To Width:	
2.000 inches single mounting facility single center group	
Overall Height:	
2.170 inches	
Overall Width:	
1.800 inches	
Frequency Rating:	
47.0 hertz single component and 63.0 hertz single component	
Input-output Phase Relationship:	
Single phase to single phase single component	
Winding Shielding Method:	
Internal shield grounded to inclosure and core single component	
Body Length:	
1.870 inches	
Body Width:	
0.800 inches	
Body Height:	
2.170 inches	
Maximum Operating Temp:	
95.0 degrees celsius	
Inclosure Type:	
Open	
Mounting Facility Quantity:	
4 single group	
Mounting Method:	
Threaded hole single group	
Winding Function And Quantity:	
1 primary single component and 2 secondary single component	
Thready Qty Per Inch (tpi):	
32 single group	
Thread Size:	
0.164 inches single group	

Winding Operating Current:

940.0 milliamperes ac single component all secondary

**Winding Operating Voltage:** 

5.20 ac volts single component 2nd secondary and 5.70 ac volts single component 2nd secondary

## NSN 5950-00-061-7003

Power Transformer - Page 2 of 2



Thread	<b>Series</b>	<b>Designator:</b>

Unc single group

**Terminal Type And Quantity:** 

8 tab, solder lug

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A058b0