# NSN 5950-00-061-7004

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-061-7004

# **Reliability Indicator:**

Not established

#### Center To Center Distance Between Mounting Facilities Parallel To Length:

3.125 inches single mounting facility single center group

#### Center To Center Distance Between Mounting Facilities Parallel To Width:

2.500 inches single mounting facility single center group

#### **Overall Height:**

5.312 inches

#### **Frequency Rating:**

47.0 hertz single component and 63.0 hertz single component

#### Input-output Phase Relationship:

Single phase to single phase single component

#### **Winding Shielding Method:**

Internal shield grounded to inclosure single component

#### **Body Length:**

**3.812 inches** 

#### **Body Width:**

3.188 inches

#### **Body Height:**

4.250 inches

# **Maximum Operating Temp:**

160.0 degrees fahrenheit

#### **Inclosure Type:**

Open

## **Mounting Facility Quantity:**

4 single group

# **Mounting Method:**

Threaded stud single group

#### **Winding Function And Quantity:**

1 primary single component and 1 secondary single component

# Thready Qty Per Inch (tpi):

32 single group

#### Thread Size:

0.190 inches single group

#### **Winding Operating Current:**

370.0 milliamperes dc single component single secondary

## **Winding Operating Voltage:**

4.30 ac volts single component single primary and 115.00 ac volts single component single primary

# **Thread Series Designator:**

Unf single group

#### **Terminal Type And Quantity:**

5 tab, solder lug

# NSN 5950-00-061-7004

Power Transformer - Page 2 of 2



	Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A058b0