

View Online at <https://aerobasegroup.com/nsn/5950-00-061-7006>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

3.750 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

3.000 inches single mounting facility single center group

Overall Height:

6.500 inches

Mounting Hole Diameter:

0.228 inches single group

Frequency Rating:

47.0 hertz single component and 63.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Winding Shielding Method:

Internal shield grounded to inclosure and core single component

Body Length:

4.750 inches

Body Width:

4.000 inches

Body Height:

5.375 inches

Maximum Operating Temp:

160.0 degrees fahrenheit

Inclosure Type:

Open

Mounting Facility Quantity:

4 single group

Mounting Method:

Flange single group and unthreaded hole single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Winding Operating Current:

300.0 milliamperes dc single component single secondary

Winding Operating Voltage:

865.00 ac volts single component single secondary and 930.00 ac volts single component single secondary and 1.00 ac kilovolts single component single secondary

Terminal Type And Quantity:

7 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0