NSN 5950-00-063-4200

Power Transformer - Page 1 of 2

AeroBase Group

View Online at https://aerobasegroup.com/nsn/5950-00-063-4200

| Thread Class (non-core): | |
|---|-----|
| Err-070 | |
| Reliability Indicator: | |
| Not established | |
| Center To Center Distance Between Mounting Facilities Parallel To Leng | th: |
| 1.188 inches single mounting facility single center group | |
| Center To Center Distance Between Mounting Facilities Parallel To Widtl | h: |
| 1.188 inches single mounting facility single center group | |
| Frequency Rating: | |
| 400.0 hertz single component | |
| Input-output Phase Relationship: | |
| Single phase to single phase single component | |
| Body Length: | |
| 2.375 inches | |
| Body Width: | |
| 1.625 inches | |
| Body Height: | |
| 1.625 inches | |
| Inclosure Type: | |
| Fully enclosed | |
| Mounting Facility Quantity: | |
| 4 single group | |
| Mounting Method: | |
| Threaded stud single group | |
| Winding Function And Quantity: | |
| 1 primary and 1 secondary single component | |
| Thready Qty Per Inch (tpi): | |
| 32 single group | |
| Thread Size: | |
| 0.138 inches single group | |
| Winding Operating Voltage: | |
| 750.00 ac volts and 1.00 ac volts single component single primary | |
| Thread Series Designator: | |
| Unc single group | |
| Terminal Type And Quantity: | |
| 5 tab, solder lug | |
| Shelf Life: | |
| N/a | |
| Unit Of Measure: | |
| | |
| Demilitarization: | |
| No | |
| | |

NSN 5950-00-063-4200

Power Transformer - Page 2 of 2

Fiig: A058b0

