NSN 5950-00-066-9349

Radio Frequency Coil - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-066-9349

| Reliability Indicator: |
|---|
| Not established |
| Turn Quantity: |
| 200 single component single winding |
| Inductance Rating: |
| 250.00 microhenries single component single winding and 510.00 microhenries single component single winding |
| Coil Form Type: |
| Hollow single component |
| Core Construction: |
| Powdered single component |
| Adjustment Device Drive Type: |
| Slotted screw single component |
| Body Length: |
| 2.000 inches |
| Body Outside Diameter: |
| 0.750 inches |
| Inclosure Type: |
| Fully enclosed |
| Mounting Method: |
| Threaded bushing single group |
| Rating Method: |
| Electrical single component single winding and winding turns single component single winding |
| Thready Qty Per Inch (tpi): |
| 32 single group |
| Thread Size: |
| 0.190 inches single group |
| Winding Conductor Size: |
| 0.00198 inches american wire gage single component single winding |
| Winding Operating Current: |
| 250.0 milliamperes dc single component single winding |
| Dc Resistance Rating In Ohms: |
| 10.000 single component single winding |
| Quality Factor: |
| 60 single component single winding |
| Adjustment Method And Quantity: |
| 1 adjustable core single component |
| Thread Series Designator: |
| Unf single group |
| Terminal Type And Quantity: |
| 2 pin |

N/a

Shelf Life:

NSN 5950-00-066-9349

Radio Frequency Coil - Page 2 of 2



Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A058b0