## NSN 5950-00-069-1219

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-069-1219
Reliability Indicator:
Not established
Overall Length:
4.688 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
2.297 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
1.859 inches single mounting facility single center group
Frequency Rating:
60.0 hertz single component
Input-output Phase Relationship:
Single phase to single phase single component
Winding Shielding Method:
Internal shield grounded to inclosure and brought out to terminal single component
Body Length:
4.250 inches
Body Width:
3.062 inches
Body Height:
2.625 inches
Inclosure Type:
Hermetically sealed
Mounting Facility Quantity:
4 single group
Mounting Method:
Threaded stud single group
Winding Function And Quantity:
1 primary single component and 2 secondary single component
Thready Qty Per Inch (tpi):
32 single group
Thread Size:
0.164 inches single group
Winding Operating Current:
0.317 amperes ac single component single primary
Criticality Code Justification:
Zzzy
Winding Operating Voltage:
26.00 ac volts single component 1st secondary
Thread Series Designator:
Unc single group

**Terminal Type And Quantity:** 

8 standoff, solder lug

## NSN 5950-00-069-1219

Power Transformer - Page 2 of 2



## **Reference Number Differentiating Characteristics:**

Material will be in accordance with ships parts control cente	r activity hx quality control	, manufacturing and testing specifications
Shelf Life:		

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A058b0