

View Online at <https://aerobasegroup.com/nsn/5950-00-069-9784>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.875 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.500 inches single mounting facility single center group

Frequency Rating:

400.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Body Length:

2.375 inches

Body Width:

2.000 inches

Body Height:

1.937 inches

Inclosure Type:

Hermetically sealed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded stud single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Thread Qty Per Inch (tpi):

32 single group

Thread Size:

0.138 inches single group

Winding Operating Voltage:

3.56 ac volts single component single secondary and 7.10 ac volts single component single secondary and 10.66 ac volts single component single secondary and 14.21 ac volts single component single secondary and 17.76 ac volts single component single secondary and 21.26 ac volts single component single secondary and 24.86 ac volts single component single secondary and 28.32 ac volts single component single secondary and 31.96 ac volts single component single secondary and 35.52 ac volts single component single secondary

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

13 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0