NSN 5950-00-072-6937

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-072-6937

| Reliability Indicator: |
|---------------------------------------------------------------------------|
| Not established |
| Center To Center Distance Between Mounting Facilities Parallel To Length: |
| 1.375 inches single mounting facility single center group |
| Center To Center Distance Between Mounting Facilities Parallel To Width: |
| 0.500 inches single mounting facility single center group |
| Inductance Type: |
| Fixed |
| Inductance Rating: |
| 400.00 microhenries single component single winding |
| Body Length: |
| 1.875 inches |
| Body Width: |
| 1.000 inches |
| Body Height: |
| 1.687 inches |
| Winding Quantity: |
| 1 single component |
| Inclosure Type: |
| Hermetically sealed |
| Mounting Facility Quantity: |
| 4 single group |
| Mounting Method: |
| Threaded hole single group |
| Rating Method: |
| Electrical single component single winding |
| Thready Qty Per Inch (tpi): |
| 40 single group |
| Thread Size: |
| 0.112 inches single group |
| Winding Operating Current: |
| 5.0 amperes dc single component single winding |
| Dc Resistance Rating In Ohms: |
| 0.040 single component single winding |
| Thread Series Designator: |
| Unc single group |
| Terminal Type And Quantity: |
| 2 pin |
| Shelf Life: |
| N/a |
| Unit Of Measure: |

--

NSN 5950-00-072-6937

Reactor - Page 2 of 2



Demilitarization:

Yes - demil/mli

Fiig:

A058b0