

View Online at <https://aerobasegroup.com/nsn/5950-00-073-0648>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.968 inches single mounting facility single center group and 3.031 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.406 inches single mounting facility single center group and 2.468 inches single mounting facility single center group

Frequency Rating:

400.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Body Length:

3.937 inches

Body Width:

3.375 inches

Body Height:

4.750 inches

Inclosure Type:

Hermetically sealed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded stud single group

Winding Function And Quantity:

1 primary, fixed autotransformer type single component

Thread Size:

0.190 inches single group

Winding Operating Current:

4.3 amperes ac single component single primary output

Winding Operating Voltage:

115.00 ac volts single component single primary input

Test Data Document:

10001-2412750 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Thread Series Designator:

Unf single group

Terminal Type And Quantity:

8 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0