## NSN 5950-00-078-9517

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-078-9517 **Reliability Indicator:** Not established **Overall Length:** 6.500 inches Center To Center Distance Between Mounting Facilities Parallel To Length: 4.750 inches single mounting facility single center group **Center To Center Distance Between Mounting Facilities Parallel To Width:** 3.875 inches single mounting facility single center group **Overall Height:** 2.875 inches **Overall Width:** 4.375 inches **Mounting Hole Diameter:** 0.265 inches single group Frequency Rating: 380.0 hertz single component and 420.0 hertz single component Input-output Phase Relationship: Three phase to six phase single component **Transformer Winding Connection Type:** Delta-delta **Maximum Transformer Power Rating:** 3.7 kilovolt-ampere single component **Inclosure Type:** Open **Mounting Facility Quantity:** 4 single group **Mounting Method:** Flange single group and unthreaded hole single group **Winding Function And Quantity:** 1 primary single component and 2 secondary single component **Winding Operating Current:** 41.0 amperes ac single component 2nd secondary Winding Operating Voltage: 22.30 ac volts single component 2nd secondary **Terminal Type And Quantity:** 9 tab, solder lug Shelf Life: N/a **Unit Of Measure:** 

**Demilitarization:** 

No

## NSN 5950-00-078-9517

Power Transformer - Page 2 of 2



Fiig:

A058b0