NSN 5950-00-080-3440

Radio Frequency Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-080-3440

| Reliability Indicator: Not established Inductance Rating: 1.25 millihenries single component single secondary Frequency Rating: 250.0 kilohertz single component Coil Form Type: Hollow single component Adjustment Device Drive Type: Slotted screw single component Body Length: |
|--|
| Inductance Rating: 1.25 millihenries single component single secondary Frequency Rating: 250.0 kilohertz single component Coil Form Type: Hollow single component Adjustment Device Drive Type: Slotted screw single component Body Length: |
| 1.25 millihenries single component single secondary Frequency Rating: 250.0 kilohertz single component Coil Form Type: Hollow single component Adjustment Device Drive Type: Slotted screw single component Body Length: |
| Frequency Rating: 250.0 kilohertz single component Coil Form Type: Hollow single component Adjustment Device Drive Type: Slotted screw single component Body Length: |
| 250.0 kilohertz single component Coil Form Type: Hollow single component Adjustment Device Drive Type: Slotted screw single component Body Length: |
| Coil Form Type: Hollow single component Adjustment Device Drive Type: Slotted screw single component Body Length: |
| Hollow single component Adjustment Device Drive Type: Slotted screw single component Body Length: |
| Adjustment Device Drive Type: Slotted screw single component Body Length: |
| Slotted screw single component Body Length: |
| Body Length: |
| |
| |
| 1.375 inches |
| Body Width: |
| 1.375 inches |
| Body Height: |
| 2.750 inches |
| Distance Between Mounting Facility Centers: |
| 1.500 inches single mounting facility single center group |
| Inclosure Type: |
| Fully enclosed |
| Mounting Facility Quantity: |
| 2 single group |
| Mounting Method: |
| Threaded stud single group |
| Rating Method: |
| Electrical single component single secondary |
| Winding Function And Quantity: |
| 1 primary single component and 1 secondary single component |
| Thready Qty Per Inch (tpi): |
| 32 single group |
| Thread Size: |
| 0.138 inches single group |
| Adjustment Method And Quantity: |
| 1 adjustable core single component |
| Thread Series Designator: |
| Unc single group |
| Terminal Type And Quantity: |
| 4 tab, solder lug |
| Shelf Life: |
| N/a |
| Unit Of Measure: |

--

NSN 5950-00-080-3440

Radio Frequency Transformer - Page 2 of 2



Demilitarization:

No

Fiig:

A058b0