# NSN 5950-00-080-4390

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-080-4390

## **Reliability Indicator:** Not established Center To Center Distance Between Mounting Facilities Parallel To Length: 5.625 inches single mounting facility single center group Center To Center Distance Between Mounting Facilities Parallel To Width: 3.000 inches single mounting facility single center group **Overall Height:** 7.187 inches **Frequency Rating:** 60.0 hertz single component Input-output Phase Relationship: Three phase to three phase single component **Transformer Winding Connection Type:** Delta-delta Winding Shielding Method: Internal shield grounded to inclosure and core single component **Body Length:** 5.000 inches **Body Width:**

3.500 inches

## **Body Height:**

6.625 inches

#### Maximum Operating Temp:

75.0 degrees celsius

#### **Inclosure Type:**

Fully enclosed

#### **Mounting Facility Quantity:**

4 single group

#### **Mounting Method:**

Threaded hole single group

#### Winding Function And Quantity:

1 primary single component and 2 secondary single component

#### Thready Qty Per Inch (tpi):

20 single group

#### **Thread Size:**

0.250 inches single group

### Winding Operating Current:

400.0 milliamperes ac single component 2nd secondary

#### Winding Operating Voltage:

440.00 ac volts single component single primary

### **Thread Series Designator:**

Unc single group

# NSN 5950-00-080-4390

Power Transformer - Page 2 of 2



## Terminal Type And Quantity:

9 standoff, solder lug

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A058b0