

View Online at <https://aerobasegroup.com/nsn/5950-00-082-1436>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.625 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.000 inches single mounting facility single center group

Frequency Rating:

400.0 hertz all components

Input-output Phase Relationship:

Single phase to single phase all components

Winding Shielding Method:

Internal shield grounded to inclosure and core single component

Body Length:

3.625 inches

Body Width:

3.125 inches

Body Height:

3.250 inches

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded hole single group

Rating Method:

Electrical single component single primary output

Winding Function And Quantity:

1 primary, fixed autotransformer type all components and 2 secondary all components

Thread Size:

0.164 inches single group

Winding Operating Current:

45.0 milliamperes dc single component 2nd secondary

Winding Operating Voltage:

220.00 ac volts single component 1st secondary

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

8 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0