

View Online at <https://aerobasegroup.com/nsn/5950-00-087-5944>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

3.312 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.688 inches single mounting facility single center group

Frequency Rating:

50.0 hertz single component and 400.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Body Length:

4.312 inches

Body Width:

3.688 inches

Body Height:

5.562 inches

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded stud single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Thread Size:

0.190 inches single group

Winding Operating Current:

9.0 amperes ac single component single primary

Winding Operating Voltage:

6.70 ac volts single component single secondary and 7.30 ac volts single component single secondary and 8.30 ac volts single component single secondary and 9.60 ac volts single component single secondary and 11.30 ac volts single component single secondary and 13.30 ac volts single component single secondary and 16.00 ac volts single component single secondary

Thread Series Designator:

Unf single group

Terminal Type And Quantity:

10 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0