# NSN 5950-00-103-7675

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-103-7675

| Reliability | Indicator: |
|-------------|------------|
|-------------|------------|

Not established

#### Center To Center Distance Between Mounting Facilities Parallel To Length:

0.904 inches single mounting facility single center group

## Center To Center Distance Between Mounting Facilities Parallel To Width:

0.904 inches single mounting facility single center group

**Overall Height:** 

2.060 inches

#### **Frequency Rating:**

331.0 hertz single component

#### Input-output Phase Relationship:

Two phase to three phase single component

#### **Transformer Winding Connection Type:**

Scott

#### **Body Length:**

1.150 inches

#### **Body Width:**

1.150 inches

## **Body Height:**

1.780 inches

# **Maximum Operating Temp:**

125.0 degrees celsius

#### **Inclosure Type:**

Fully enclosed

# **Mounting Facility Quantity:**

4 single group

# **Mounting Method:**

Threaded hole single group

#### **Winding Function And Quantity:**

1 primary single component and 1 secondary single component

# Thready Qty Per Inch (tpi):

40 single group

# **Thread Size:**

0.112 inches single group

## **Winding Operating Current:**

77.8 milliamperes ac single component single secondary

# Winding Power Rating:

2.6 volts-amperes single component single secondary

## **Winding Operating Voltage:**

27.00 ac volts single component all primary

## **Thread Series Designator:**

Unc single group

# NSN 5950-00-103-7675

Power Transformer - Page 2 of 2



| Terminal Type And Quantity: |  |
|-----------------------------|--|
| 14 turret                   |  |
| Shelf Life:                 |  |
| N/a                         |  |
| Unit Of Measure:            |  |
|                             |  |

No

Fiig:

A058b0

Demilitarization: