

View Online at <https://aerobasegroup.com/nsn/5950-00-107-6170>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.500 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.250 inches single mounting facility single center group

Mounting Hole Diameter:

0.250 inches single group

Frequency Rating:

60.0 hertz single component

Input-output Phase Relationship:

Three phase to three phase single component

Adjustment Device Drive Type:

Shaft single component

Winding Shielding Method:

Internal shield brought out to terminal single component

Body Length:

2.000 inches

Body Width:

1.875 inches

Body Height:

2.750 inches

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Flange single group and unthreaded hole single group

Winding Function And Quantity:

1 primary single component and 2 secondary single component

Winding Operating Current:

6.0 amperes ac single component single primary

Adjustment Method And Quantity:

2 adjustable control single component

Winding Operating Voltage:

5.67 ac volts single component 2nd secondary

Terminal Type And Quantity:

14 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0