

View Online at <https://aerobasegroup.com/nsn/5950-00-110-0915>

**Reliability Indicator:**

Not established

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

5.500 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

2.000 inches single mounting facility single center group

**Frequency Rating:**

400.0 hertz single component

**Input-output Phase Relationship:**

Three phase to six phase single component

**Transformer Winding Connection Type:**

Delta-wye

**Winding Shielding Method:**

Internal shield grounded to core and brought out to terminal single component

**Body Length:**

Between 6.300 inches and 6.500 inches

**Body Width:**

Between 5.250 inches and 5.380 inches

**Body Height:**

Between 2.880 inches and 3.000 inches

**Inclosure Type:**

Fully enclosed

**Mounting Facility Quantity:**

4 single group

**Mounting Method:**

Threaded hole single group

**Winding Function And Quantity:**

1 primary single component and 1 secondary single component

**Thread Size:**

0.190 inches single group

**Winding Operating Current:**

500.0 milliamperes ac single component single secondary and 9.0 amperes ac single component single secondary

**Winding Operating Voltage:**

18.20 ac volts single component single secondary and 48.20 ac volts single component single secondary and 48.20 ac volts single component single secondary and 64.30 ac volts single component single secondary

**Thread Series Designator:**

Unf single group

**Terminal Type And Quantity:**

30 wire lead

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A058b0