NSN 5950-00-115-5442

Power Transformer - Page 1 of 1



view Online at https://aerobasegroup.com/nsn/5950-00-115-5442
Reliability Indicator:
Not established
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.832 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
1.957 inches single mounting facility single center group
Frequency Rating:
800.0 hertz single component and 1.2 kilohertz single component
Input-output Phase Relationship:
Single phase to single phase single component
Winding Shielding Method:
Internal shield brought out to terminal single component
Body Length:
3.156 inches
Body Width:
2.844 inches
Body Height:
2.688 inches
Inclosure Type:
Hermetically sealed
Mounting Facility Quantity:
4 single group
Mounting Method:
Threaded hole single group
Winding Function And Quantity:
1 primary single component and 3 secondary single component
Winding Operating Current:
800.0 milliamperes ac single component 1st secondary
Winding Operating Voltage:
$6.30\ \mathrm{ac}\ \mathrm{volts}\ \mathrm{single}\ \mathrm{component}\ \mathrm{2nd}\ \mathrm{secondary}\ \mathrm{and}\ 35.00\ \mathrm{ac}\ \mathrm{volts}\ \mathrm{single}\ \mathrm{component}\ \mathrm{2nd}\ \mathrm{secondary}$
Terminal Type And Quantity:
9 pin and 1 banana plug
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A058b0