

View Online at <https://aerobasegroup.com/nsn/5950-00-121-5326>

Reliability Indicator:

Not established

Hazardous Locations/environmental Protection:

Fungus proof and moisture proof

Overall Length:

Between 3.682 inches and 3.692 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.740 inches single mounting facility single center group and 2.760 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.740 inches single mounting facility single center group and 2.760 inches single mounting facility single center group

Overall Height:

4.077 inches

Mounting Hole Diameter:

0.265 inches single group and 0.270 inches single group

Frequency Rating:

350.0 hertz single component and 1.2 kilohertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Body Width:

Between 3.240 inches and 3.260 inches

Maximum Operating Temp:

50.0 degrees celsius

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Flange single group and unthreaded hole single group

Winding Function And Quantity:

1 primary, variable autotransformer type single component

Winding Operating Current:

2.4 amperes ac single component single primary output

Winding Power Rating:

370.0 volts-amperes single component single primary output

Winding Operating Voltage:

120.00 ac volts single component single primary input

Terminal Type And Quantity:

5 screw

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0