

View Online at <https://aerobasegroup.com/nsn/5950-00-127-7043>

**Reliability Indicator:**

Not established

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

2.125 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

1.750 inches single mounting facility single center group

**Frequency Rating:**

400.0 hertz single component

**Input-output Phase Relationship:**

Three phase to three phase single component

**Transformer Winding Connection Type:**

Delta-wye

**Winding Shielding Method:**

Internal shield grounded to inclosure single component

**Body Length:**

2.750 inches

**Body Width:**

2.380 inches

**Body Height:**

1.750 inches

**Maximum Operating Temp:**

85.0 degrees celsius

**Inclosure Type:**

Fully enclosed

**Mounting Facility Quantity:**

4 single group

**Mounting Method:**

Threaded stud single group

**Winding Function And Quantity:**

1 primary single component and 5 secondary single component

**Thread Size:**

0.138 inches single group

**Winding Operating Current:**

750.0 milliamperes dc single component 2nd secondary

**Winding Operating Voltage:**

5.00 dc volts single component 3rd secondary

**Special Features:**

1primary winding; 5secondary windings; secondary voltage and current have been rectified

**Thread Series Designator:**

Unc single group

**Terminal Type And Quantity:**

17 solder stud

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A058b0