

View Online at <https://aerobasegroup.com/nsn/5950-00-131-6659>

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

3.310 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

2.680 inches single mounting facility single center group

**Frequency Rating:**

60.0 hertz single component

**Input-output Phase Relationship:**

Single phase to single phase single component

**Winding Shielding Method:**

External inclosure single component

**Body Length:**

4.310 inches

**Body Width:**

3.680 inches

**Body Height:**

4.500 inches

**Inclosure Type:**

Hermetically sealed

**Mounting Facility Quantity:**

4 single group

**Mounting Method:**

Threaded stud single group

**Winding Function And Quantity:**

1 primary single component and 3 secondary single component

**Thready Qty Per Inch (tpi):**

32 single group

**Thread Size:**

0.190 inches single group

**Winding Power Rating:**

5.0 volts-amperes single component 1st secondary

**Winding Operating Voltage:**

5.00 ac volts single component 1st secondary

**Test Data Document:**

90099-385b555 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

**Thread Series Designator:**

Unf single group

**Terminal Type And Quantity:**

9 tab, solder lug

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A058b0